

भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3 उपखण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० 113] नई, दिल्ली, मंगलवार, जून 1, 1965/ज्येष्ठ 11, 1887

No. 113] NEW DELHI, TUESDAY, JUNE 1, 1965/JYAISTHA 11, 1887

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed as a separate compilation

MINISTRY OF STEEL AND MINES

(Department of Mines and Metals)

NOTIFICATIONS

New Delhi, the 1st June, 1965

S.O. 1732.—In pursuance of clause 4 of the Colliery Control Order, 1945, as continued in force by section 16 of the Essential Commodities Act, 1955 (10 of 1955) and in supersession of the notification of the Government of India in the Ministry of Steel and Mines (Department of Mines and Metals), No. S. O. 1560, dated the 11th May, 1965, the Central Government hereby fixes the following prices at which coal or coke may be sold by colliery owners :—

TABLE I. —Collieries situated within the States of West Bengal and Bihar.

TABLE I(2). —Non-coking coal of Selected Grade A, Selected Grade B and Grade I.

Grade of Coal	Price per ton (2240 pounds)		Price per tonne (1,000 kilograms)	
	Run-of-mine, Dust coal & Slack coal	Steam coal, Rubble & Smithy nuts	Run-of-mine, Dust, coal & Slack coal	Steam coal, Rubble & Smithy nuts
	Rs. P.	Rs. P.	Rs. P.	Rs. P.
Selected Grade A	27.79	28.85	27.35	28.39
Selected Grade B	26.28	27.35	25.86	26.92
Grade I	23.91	24.95	23.53	24.56

TABLE I(b).—*Non-coking coal of Grade II, Grade IIIA and Grade IIIB.*

Grade of coal	Price per ton (2240 pounds)		Price per tonne (1,000 kilograms)	
	Run-of-mine, Dust coal & Slack coal	Steam coal Rubble & Smithy nuts	Run-of-mine, Dust coal & Slack coal	Steam coal, Rubble & Smithy nuts
	Rs. P.	Rs. P.	Rs. P.	Rs. P.
Grade II	Not exceeding 22·39	Not exceeding 23·46	Not exceeding 22·04	Not exceeding 23·09
Grade IIIA	Not exceeding 20·89	Not exceeding 21·89	Not exceeding 20·56	Not exceeding 21·54
Grade IIIB	Not exceeding 19·70	Not exceeding 20·72	Not exceeding 19·39	Not exceeding 20·39

TABLE I(c).—*Coking coal of Grade A to Grade H.*

Grade of coal	Price per ton (2240 pounds)		Price per tonne (1,000 kilograms)	
	Run-of-mine, Dust coal, & Slack coals	Steam, coal, Rubble & Smithy nuts	Run-of-mine, Dust coal, & Slack coal	Steam, coal, Rubble & Smithy nuts
	Rs. P.	Rs. P.	Rs. P.	Rs. P.
A	29·67	30·71	29·20	30·22
B	28·66	29·71	28·21	29·24
C	27·68	28·71	27·24	28·26
D	26·16	27·21	26·75	26·78
E	25·66	26·71	25·25	26·29
F	24·91	25·96	24·52	25·55
G	24·41	25·46	24·02	25·06
H	24·16	25·23	23·78	24·83

NOTE.— In addition to the price specified in "Table I(c) : Coking Coal of Grade A to Grade H", every colliery owner shall be paid the following amount where, in pursuance of an agreement between him and the consumer, the grade of the coal supplied is determined by sampling and analysis at the destination in accordance with the procedure laid down by the Government in this behalf, namely :—

- (i) in the case of any of the grades of coking coal A to E, a sum of Rs. 1·27 P. per ton (Rs. 1·25 P. per tonne);
- (ii) in the case of any of the grades of coking coal F, G and H, a sum of Re. 0·76 P. per ton (Re. 0·75 P. per tonne):

Provided that any dispute in regard to the application of that procedure or the results of such sampling and analysis shall be referred to the Coal Controller whose decision thereon shall be final and binding on the colliery owner and the consumer.

TABLE I(d).—Coking coal of Grade HH.

Grade of coal	Price per ton (2240 pounds)		Price per tonne (1,000 kilograms)	
	Run-of-mine, Dust coal & Slack coal	Steam coal, Rubble & Smithy Nuts	Run-of-mine, Dust coal & Slack coal	Steam coal, Rubble & Smithy Nuts
	Rs. P.	Rs. .	Rs. P.	Rs. P.
HH	Not exceeding 22.41	Not exceeding 23.46	Not exceeding 22.06	Not exceeding 23.09

NOTE 1.—For the purposes of the Tables I(a) to I(d) the grade of any coal shall be determined as follows :—

I. NON-COKING COAL :

(a) High moisture coals.

If the ash and moisture content thereof :—

- (i) do not exceed 17.5 per cent Selected Grade A.
- (ii) exceed 17.5 per cent but does not exceed 19 per cent Selected Grade B.
- (iii) exceed 19 per cent but does not exceed 24 per cent Grade I.
- (iv) exceed 24 per cent but does not exceed 28 per cent Grade II.

All analysis of high moisture coals will be carried out on—72 mesh samples after equilibrating under the conditions given below for 48 hours :—

Atmospheric temperature 40° C ± 2 C.
Relative humidity 60 per cent ± 2 per cent.

(b) Low moisture coals.

If the ash content thereof :—

- (i) does not exceed 15 per cent Selected Grade A.
- (ii) exceeds 15 per cent but does not exceed 17 per cent Selected Grade B.
- (iii) exceeds 17 per cent but does not exceed 20 per cent Grade I.
- (iv) exceeds 20 per cent but does not exceed 24 per cent Grade II.
- (v) exceeds 24 per cent but does not exceed 28 per cent Grade IIIA.
- (vi) exceeds 28 per cent but does not exceed 35 per cent Grade IIIB.

I. COKING COAL :

If the ash content thereof :—

- (i) does not exceed 13 per cent Grade A.
- (ii) exceeds 13 per cent but does not exceed 14 per cent Grade B.
- (iii) exceeds 14 per cent but does not exceed 15 per cent Grade C.
- (iv) exceeds 15 per cent but does not exceed 16 per cent Grade D.

- (v) exceeds 16 per cent but does not exceed 17 per cent Grade E.
 (vi) exceeds 17 per cent but does not exceed 18 per cent Grade F.
 (vii) exceeds 18 per cent but does not exceed 19 per cent Grade G.
 (viii) exceeds 19 per cent but does not exceed 20 per cent Grade H.
 (ix) exceeds 20 per cent but does not exceed 24 per cent Grade HH.

NOTE 2.— The expressions 'Low moisture coals' and 'High moisture coals' mean respectively coals containing moisture not exceeding 2 per cent, and coals containing more than 2 per cent moisture.

NOTE 3.— The expression 'coking coal' means all coal which is classified as such by the Coal Board, constituted under the Coal Mines (Conservation and Safety) Act, 1952 (12 of 1952).

NOTE 4.— The price at which all coal produced in the Bagrakote, East Bagrakote, Lethi Valley and Fagu collieries may be sold shall be Rs. 33.48 per ton (2240 pounds). [Rs. 32.95 per tonne (1000 kg.)]. This price shall be free on rail Bagrakote in the case of the Bagrakote and East Bagrakote collieries, free on rail Oodlabari, and Damdim, North East Frontier Railway, in the case of the Lethi Valley Colliery and free on rail Oodlabari, North East Frontier Railway, in the case of the Fagu Colliery.

TABLE I(e).—Soft Coke.

Grade of coke	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
	Rs. P.	Rs. P.
Soft Coke—not exceeding 45 per cent ash content	33.08	32.56

NOTE.— The prices given under Tables I(a), I(b), I(c), I(d) and I(e) are for delivery free on rail at or at the loading point nearest to the colliery, or free on tramway or road vehicle at the colliery.

TABLE II

Collieries situated within the States of Gujarat, Madhya Pradesh, Maharashtra and Orissa

Grade of coal	Price per ton (2240 pounds)		Price per tonne (1,000 kilograms)	
	Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts	Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts.
	Rs. P.	Rs. P.	Rs. P.	Rs. P.
Selected Grade	28.76	29.76	28.31	29.29
Grade I	26.51	27.49	26.09	27.06
Grade II	25.37	26.39	24.97	25.97
Grade III	24.39	25.39	24.00	24.99

NOTE.—For the purposes of Table II, the grade of any coal shall be determined as follows :—

If the ash and moisture content thereof :—

- (i) do not exceed 19 per cent Selected Grade
 (ii) exceed 19 per cent but does not exceed 24 per cent Grade I.
 (iii) exceed 24 per cent but does not exceed 28 per cent Grade II.
 (iv) exceed 28 per cent but does not exceed 35 per cent Grade III.

All analysis of high moisture coals will be carried out on—72 mesh samples after equilibrating under the conditions given below for 48 hours :—

Atmospheric temperature. $40^{\circ}\text{C} \pm 2^{\circ}\text{C}$

Relative humidity 60 per cent ± 2 per cent.

NOTE 2.—The prices given under Table II above are or delivery free on rail at or at the loading point nearest to the colliery, or free on tramway or road vehicle at the colliery.

TABLE III

Collieries situated within the State of Assam

Name of colliery	Type of coal	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
		Rs. Paise	Rs. Paise
Margherita collieries of the Assam Railways and Trading Company.	{ Run-of-mine Dust coal Hand picked coal Hard cake	35'90 35'90 42'40 95'69	35'33 35'33 41'73 94'18
Nazira Coal Company Ltd., Borgan.	Run-of-mine	27'76	27'32
Dilli Colliery of Dilli Colliery Company	Run-of-mine	27'76	27'32
Jeypore Colliery	Run-of-mine	27'76	27'32
Koilajan Colliery	Run-of-mine	28'03	27'59
Bimalapore Colliery	Run-of-mine	27'76	27'32
Sheelvata Colliery	Run-of-mine	28'03	27'59

NOTE 1.—The prices given under Table III are for delivery free on rail at the colliery in the case of the Margherita collieries of the Assam Railways and Trading Company Limited and or delivery free on road vehicle at the colliery in the case of the other collieries.

NOTE 2.—In the case of sales on free on rail basis by the Nazira Coal Company Limited and the Dilli, Sheelvata Bimalapore, Jaypore and Koilajan collieries mentioned in Table III above, the free on rail prices shall be determined by adding to the prices mentioned against each in Table III above, the following amounts namely :—

Nazira Coal Company Limited, Borgan .	{ A sum of Rs. 6'90 per ton (2240 pounds) [Rs. 6'79 per tonne (1,000 kilograms)].
Dilli Colliery of Dilli Colliery Co., Sheelvata Colliery, Bimalapore Colliery of Bimalapore Collieries (Private) Limited and Jeypore Colliery.	{ A sum calculated at the rate of 50 Paise per ton (2240 pounds) for each mile [31 Paise per tonne (1,000 kilograms) per Kilometre] of the distance between the pit-head and the rail-head.
Koilajan Colliery	{ A sum calculated at the rate of 75 Paise per ton (2240 pounds) or each mile [46 Paise per tonne (1,000 kilograms) per Kilometre] of the distance between the pit-head and the rail-head.

TABLE IV

Collieries situated within the territories formerly known as Khasi States in the State of Assam.

(1) *Laitryngew mine of Cherra Chatak Ropeway Company and Thangjinath mine*

Name of colliery	Type of coal	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
		Rs. Paise	Rs. Paise
Laitryngew mine	Run-of-mine coal	19'28	18'98
Thangjinath mine	{ Run-of-mine coal Lump coal	16'29 19'37	16'03 19'26

(2) Any other colliery

Type of coal	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
	Rs. Paise	Rs. Paise
Lump coal	19·57	19·26
Run-of-mine coal	14·32	14·09
Coke	36·77	36·19

NOTE.—The prices given under Table IV are ex pit-head.

TABLE V
Collieries situated within the State of Andhra Pradesh
(1) Singareni Group of Collieries (Except Yellendu)

Type of coal	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
	Rs. Paise	Rs. Paise
Round coal	31·64	31·14
Separator Nut coal 1"–2" (25·4 millimetres— 50·8 millimetres).	31·64	31·14
Nut coal $\frac{1}{2}$ "–1" (12·7 millimetres— 25·4 millimetres).	30·15	29·67
Run-of-mine coal	31·14	30·65
No. 2 coal	30·64	30·16
Rough Slack 0"–2" (0 millimetre— 50·8 millimetres).	30·65	30·17
Slack coal 0"– $\frac{1}{2}$ " (0 millimetre— 12·7 millimetres) and 0"–1" (0 millimetre— 25·4 millimetres).	28·64	28·19

(2) Yellendu Colliery

Type of coal	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
	Rs. Paise	Rs. Paise
Round coal	30·64	30·16
Separator Nut coal	30·64	30·16
Nut coal $\frac{1}{2}$ "–1" (12·7 millimetres— 25·4 millimetres).	29·14	28·68
Run-of-mine coal	30·15	29·67
No. 2 coal	29·66	29·19
Rough Slack 0"–2" (0 millimetre— 50·8 millimetres).	29·66	29·19
Slack coal 0"– $\frac{1}{2}$ " (0 millimetre— 12·7 millimetres) and 0"–1" (0 millimetre— 25·4 millimetres).	27·66	27·22

NOTE.—The prices given under Table V are for delivery free on rail at or at the loading point nearest to the colliery or free on tramway or road vehicle at the colliery.

TABLE VI

Coke

Name of steel plants and cokeries producing coke	Grade of coke	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
		Rs. Paise	Rs. Paise
Bhilai Steel Plant (Hindustan Steel Ltd.)	Hard coke from Bye-product ovens [Large Rubble or Smithy over $\frac{1}{2}$ " (over 12·7 millimetres)]		
	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent.	Not exceeding 63·85	Not exceeding 62·84
	(ii) If the ash content does not exceed 24 per cent.	Not exceeding 71·25	Not exceeding 70·12
	Coke Breeze under $\frac{1}{2}$ " (under 12·7 millimetres)	Not exceeding 11·88	Not exceeding 11·69
Rourkela Steel Plant (Hindustan Steel Ltd.)	Hard Coke from Bye-product Ovens [Large Rubbel or Smithy over $\frac{1}{2}$ " (over 12·7 millimetres)]		
	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent.	Not exceeding 59·04	Not exceeding 58·11
	(ii) If the ash content does not exceed 24 per cent.	Not exceeding 66·43	Not exceeding 65·38
	Coke Breeze under $\frac{1}{2}$ " (under 12·7 millimetres).	Not exceeding 11·07	Not exceeding 10·90
Durgapur Steel Plant (Hindustan Steel Ltd.) Durgapur Coke Oven Plant (West Bengal Govt.) Coke Oven Plant, Burnpur (Indian Iron and Steel Company Ltd.) Coke Oven Plant, Jamshedpur (Tata Iron and Steel Company Limited).	HardCoke from Bye-products Ovens [Large Rubbel or Smithy over $\frac{1}{2}$ " (over 12·7 millimetres)]		
	If the ash content does not exceed 24 per cent.	Not exceeding 63·22	Not exceeding 62·22
	Coke Breeze under $\frac{1}{2}$ " (under 12·7 millimetres).	Not exceeding 10·54	Not exceeding 10·37
Bye-product Ovens other than those mentioned above.	Hard Coke [Large Rubbel or Smithy over $\frac{1}{2}$ " (over 12·7 millimetres)]		
	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent.	Not exceeding 47·30	Not exceeding 46·55
	(ii) If the ash content does not exceed 24 per cent.	Not exceeding 54·69	Not exceeding 53·83
	Coke Breeze under $\frac{1}{2}$ " (under 12·7 millimetres)	Not exceeding 9·12	Not exceeding 8·98
Bee-hive and Country Ovens	Hard Coke [Large Rubbel or Smithy over $\frac{1}{2}$ " (over 12·7 millimetres)].		
	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent.	Not exceeding 45·53	Not exceeding 44·81

Name of steel plants and cokeries producing coke	Grade of coke	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
		Rs. Paise	Rs. Paise
	(ii) If the ash content does not exceed 24 per cent.	Not exceeding 52·95	Not exceeding 52·11
	Coke Breeze under 1/2" (under 12·7 millimetres).	Not exceeding 8·83	Not exceeding 8·69

NOTE:—The Prices given under Table VI above are for delivery free on rail at or at the loading point nearest to the cokery, or free on tramway or road vehicle at the cokery.

Explanation:—(i) The prices given in Tables I to VI—

- (a) are exclusive of Stowing Excise Duty, Rescue Station Excise Duty, Soft Coke Cess Excise Duty, Labour Welfare Cess Excise Duty, any tax leviable under the Sales Tax law of any State, or under the Central Sales Tax Act, 1956 (74 of 1956) and any other additional Excise Duty, Cess or impost which the Central Government may hereafter declare to be payable by consumers of coal, but inclusive of all other cesses or imposts ;
- (b) are exclusive of de credere agents' margin permissible under clause 6 of the Colliery Control Order, 1945 ;
- (c) do not apply to retail sales of less than one ton (2240 pounds), or less than 1 tonne (1,000 kilograms), as the case may be, on any one day for delivery by road, and
- (d) do not apply to overloaded weigh-bridge coal or coke ;
- (ii) When delivery is free on rail, the weight charged for shall be the weight ascertained at a railway weigh-bridge and when delivery is free on tramway or road vehicle the weight shall be ascertained in such manner as may be prescribed by the Coal Controller, and
- (iii) the expressions 'tonne', 'millimetre' and 'kilometre' shall have the meanings respectively assigned to them in notification No. S.O. 290 dated the 30th January, 1959 as subsequently amended by notification No. S.O. 1035 dated the 20th April, 1959 of the Government of India in the late Ministry of Commerce and Industry.

2. Nothing in this notification shall apply to hard coke having ash content not exceeding 20 per cent and phosphorus content not exceeding .05 per cent.

[No. C5-12(13)/65-I.]

S.O.1733—In pursuance of clause 4 of the Colliery Control Order, 1945, as continued in force by section 16 of the Essential Commodities Act, 1955 (10 of 1955), and in supersession of the notification of the Government of India in the Ministry of Steel and Mines (Department of Mines and Metals), No. S.O. 1561, dated the 11th May, 1965, the Central Government hereby fixes the following prices at which coal or coke over-loaded at any weigh-bridge may be sold by colliery owners namely:—

Description	Price per ton (2240 pounds)	Price per tonne (1,000 kilograms)
	Rs. Paise	Rs. Paise
1 (a) All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in West Bengal and Bihar other than at the Mahuda weigh-bridge.	20·65	20·32
(b) All overloaded weigh-bridge coal or coke disposed of at the Mahuda weigh-bridge.	18·64	18·35
(c) Overloaded coal or coke of Bagrakote and East Bagrakote collieries in Darjeeling in West Bengal	32·97	32·45

Description	Price per ton (2240 pounds)	Price per tonne (1,000 k. logrms)
	Rs. Paisa	Rs. Paisa
2 All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in the State of Madhya Pradesh, Orissa, Maharashtra and Gujarat	23.84	23.46
3 All over-loaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in Assam	27.30	26.87
4 All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in the State of Andhra Pradesh	29.08	28.62

EXPLANATION.— The expression 'Overloaded weigh-bridge coal or coke' means all coal, by-product and bee-hive hard coke or soft coke which is taken off any loaded wagon and stacked at the railway weight-bridge for the purpose of adjusting the weight of wagons according to permissible axle load.

NOTE.—The expression 'tonne' shall have the meaning assigned to it in notification of the Government of India in the late Ministry of Commerce and Industry, No. S.O. 290 dated the 30th January 1959 and subsequently amended by notification No. S.O. 1035 dated the 20th April, 1959.

[No. C5-12(13)/65-II.]
R. N. VASUDEVA,
Jt. Secy.

ERRATA

In the notification No. S.O. 1560 of the Ministry of Steel and Mines (Deptt. of Mines and Metals), published in the Gazette of India Extraordinary, Part II-Sec. 3(ii), dated the 11th May 1965, the following corrections are to be made:—

(1) On page 474, under "Table I(b).—Non-coking coal of Grade II, Grade IIIA and Grade IIIB"—

(a) against the entry "Grade II" in the first column, the entry in the fifth column,

"Not exceeding 22.03" should read "Not exceeding 23.03"

(b) against the entry "Grade IIIA" in the first column, the entry in the fifth column,

"Not exceeding 21.42" should read "Not exceeding 21.49"

(2) On page 475—

(a) Under "Table I(d).—Coking coal of Grade HH", against the entry "HH" in the first column, the entry in the second column,

"Not exceeding 23.35" should read "Not exceeding 22.35"

(b) Under "Note I"—

(i) in the third line, the word "coa" should read "coal".

(ii) the word "equilib ting" appearing in the tenth and eleventh line should read "equilibrating".

(3) On page 476,—

(a) in the first line the word "Valle" should read "Valley".

(b) in the second line the word "pe" should read "per".

(c) in the third line the words "tonne of" should read "tonne".

(4) On page 478, under "Table V.—Collieries situated within the State of Andhra Pradesh", under heading "(I) Singareni Group of Collieries (Except Yel-lendu)", the column heading "Prie per ton (2240 poundsj)" should read "Price per ton (2240 pounds)".

- (5) On page 479, under "Table VI—Coke" the entry in the first column,—
"Durgapur Steel Plant (Hindustan Steel Ltd.) Durgapur Coke Oven Plant
(West Bengal Govt.)
Coke Oven Plant, Burnpur (Indian Iron and Steel Company Ltd.)
Coke Oven Plant, Jamshedpur (Tata Iron and Steel Company Limited)"
should read
"Durgapur Steel Plant (Hindustan Steel Ltd.), Durgapur Coke Oven Plant
(West Bengal Govt.), Coke Oven Plant, Burnpur (Indian Iron and
Steel Company Ltd.), Coke Oven Plant, Jamshedpur (Tata Iron and
Steel Company Limited)."
- (6) On page 480,—
(a) in the ninth line, the figures "1945," *should read* "1545;".
(b) in the tenth line, the words and figures "tone (2240 pounds)," *should
read* "ton (2240 pounds);".
(c) in the fourteenth line, the word "Weights" *should read* "Weight".